

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

**RESTRICTIONS OR WARNING**

CONSULT PROCESSORS BEFORE USING ON CROPS FOR PROCESSING. Do not apply in very cold weather (under 5°C) or under slow drying conditions to pears or dessert apples during blossom or immediately after petal fall.

DISEASES CONTROLLED

SYLLIT 400 SC is predominantly a protective fungicide, but also has some curative action through some systemic activity. SYLLIT 400 SC is used for control of scab on apples and pears and leafspot on blackcurrants.

CROP-SPECIFIC INFORMATION

Crop	High Volume ml/100 litres water	Low volume litres/ha	Spray Interval (days)	Timing
PROTECTIVE SPRAY PROGRAMME				
Culinary apples	73	1.7	10	Apply at 10 day intervals from bud burst until full petal fall and at least 14 day intervals thereafter.
Dessert apples and pears	73	1.7	10	Use only as an early season treatment prior to blossom. Apply at 10 day intervals from bud burst.
CURATIVE SPRAY PROGRAMME				
Apples and Pears - Scab	113	2.5	-	Spray as soon as possible after an infection period assessed from a Mills table has occurred, and in any case within 36 hours of the start of the rain responsible for the infection.
Blackcurrant - Leaf spot	73	-	14	Apply as a high volume application only from early grape stage and repeat at 2-3 week intervals. At least one spray should be applied after picking. Note that a spray at bud burst may be made where leaf spot is known to be a serious problem.

TIMING

Application is recommended before scab spots or lesions appear. Make the first application at bud burst, and then apply at regular intervals until late June, early July. SYLLIT 400 SC will give some control of the disease if it appears before application.

Only 2 applications should be made after flowering, at least 60 days before harvest.

MIXING AND SPRAYING

Half fill the spray tank with clean water. Add the required quantity of SYLLIT 400 SC and begin agitation. Add the remainder of the water and continue agitation during spraying.

COMPATIBILITY

Do not mix with lime sulphur.

CONDITIONS OF SALE

All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling, mixing or use or the weather conditions before, during and after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded, and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

Syllit 400 SC

Syllit 400 SC

Contains 400 g/l (39.6% w/w) Dodine formulated as a suspension concentrate (SC) (MAPP 13363)
For use as a protectant and eradicant fungicide for control of scab on apples and pears and leafspot on blackcurrants.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

Important Information**FOR USE ONLY AS A HORTICULTURAL FUNGICIDE**

Crop	Maximum individual dose	Latest timing of Application
Apple	2.5 l/ha See other specific restrictions	Dessert apple: pre-blossom Culinary apple: early July
Pear	2.5 l/ha See other specific restrictions	-
Blackcurrant (outdoor)	See other specific restrictions	-

Other specific restrictions:

For high volume application the following maximum concentrations must not be exceeded:

- apple, pear: 1.2 litres product/1000 litres water
- Blackcurrant: 0.8 litres product/1000 litres water

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

Net contents: 5 Litres e

Manufacturing date and Batch no.: see packaging
PROTECT FROM FROST
Shake well before use

Manufacturer and Approval holder:

Agriphar s.a.
Rue de Renoy, 26/1
B-4102 Ougree
BELGIUM
Téléphone: +32 4 385 97 11



24-Hour Emergency Telephone Number: 01235 239670

Causes skin irritation.

Causes serious eye damage.

Toxic if inhaled.

Very toxic to aquatic life with long lasting effects.

Avoid breathing vapours.

Wear eye protection, protective gloves.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Contains 1,2-benzisothiazol-3(2H)-one, sodium salt. May produce an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.



Danger

SAFETY PRECAUTIONS**Operator protection**

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH HANDS AND EXPOSED SKIN before meals and after work.

DO NOT BREATHE SPRAY.

WASH CONCENTRATE FROM SKIN OR EYES IMMEDIATELY.

IN CASE OF AN ACCIDENT, OR IF YOU FEEL UNWELL, seek medical advice immediately and show label where possible.

Environmental Protection

DO NOT CONTAMINATE surface waters or ditches with chemical or used container.

Storage and disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY and dispose of safely.

DO NOT RE-USE CONTAINER for any other purpose.